

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	322	(wild NEAR4 card\$1 NEAR\$4 rang\$3) and (sub\$5 NEAR4 number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/07 10:55
		(wild NEAR4 card\$1 NEAR\$4 rang\$4) and (sub\$5 NEAR4 number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:21
		((data adj compression\$3) same database) and memory) and range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:21
		((data adj compression\$3) same database) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:21
		((data adj compression\$3) same database) and memory) and range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:21
		(wildcard\$2 OR wild-card\$4) AND (ip! ADJ3 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:21
L5	167	(wildcard\$2 OR wild-card\$4) AND (sort\$3 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:21
L6	59	((wildcard\$3 (wild near2 card\$1))) and (four near3 rang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:21

L7	1	((wildcard\$3 OR wild-card\$3) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2))) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2))) and3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:22
L8	171	(wildcard\$3 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:22
L9	1	(((data near3 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:22
L10	2599	(wildcard\$3 OR wild-card\$4) AND number\$2 AND data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:22
L11	1	(((data near3 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2))) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:22

L12	27	(represent\$3 near3 (wildcard\$2 or wild-card\$4)) same determin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:23
L13	1	(((((data near3 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2))) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)))) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:23
S1	120	((data-base) or (data adj base) or (database)) same wildcard\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:51
S2	212	"707"/.ccls. and wildcard\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/26 11:28
S3	610	707/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/26 13:47
S4	19582	data adj compression\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/26 13:34
S5	265	(data adj compression\$2) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/26 13:35
S6	210	((data adj compression\$2) same database) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:21

S7	5	(((((data adj compression\$2) same database) and memory) and range) and wild\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/26 13:38
S8	132	(((((data adj compression\$2) same database) and memory) and range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:21
S9	813	707/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/26 14:33
S10	114	(wildcard\$2 OR wild-card\$4) AND (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:21
S11	25	(wildcard\$2 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:21
S12	364	370/397.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/26 15:09
S13	90	370/397.ccls. and IP!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/26 15:17
S14	35	370/399.ccls. and IP!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/26 15:19
S15	517	370/401.ccls. and IP!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/26 15:19
S16	59	370/409.ccls. and IP!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/26 15:19

S17	829	wildcard\$2 OR wild-card\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/27 09:33
S18	718	(wildcard\$2 OR wild-card\$4) AND number\$2 AND data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:51
S19	92	(wildcard\$2 OR wild-card\$4) SAME number\$2 SAME data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/27 11:15
S20	44	determin\$4 near5 (wildcard\$2 or wild-card\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/27 12:41
S21	2	("6138123").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/27 12:44
S22	69	represent\$4 near3 (wildcard\$2 or wild-card\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/27 12:47
S23	65	(represent\$4 near3 (wildcard\$2 or wild-card\$4)) and determin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:52
S24	14	(represent\$4 near3 (wildcard\$2 or wild-card\$4)) same determin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:52
S25	2	("6151631").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/28 12:46

S26	2	("6026398").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/28 12:49
S27	2	("6263341").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/28 12:49
S28	3	telephone near5 wildcards	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/02/28 12:51
S29	3034154	wild NEAR4 card\$1 NEAR\$4 rang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 14:03
S30	1051	(wildcard\$2 OR wild-card\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 14:16
S31	5	((wildcard\$2 OR wild-card\$4)) near5 rang\$4 near5 number\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 14:20
S32	8	((wildcard\$2 OR wild-card\$4)) near10 rang\$4 near10 number\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/06 14:21
S33	2913	(wildcard\$1 wild-card\$1 (wild near2 card\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/01 09:07
S34	29	((wildcard\$1 wild-card\$1 (wild near2 card\$1))) and (four near3 rang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 14:52
S35	226	((database) or (data adj base) or (database)) same wildcard\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/07 10:51

S36	321	(wildcard\$2 or wild-card\$4) AND (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/07 10:51
S37	90	(wildcard\$2 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:22
S38	3319197	wild NEAR4 card\$1 NEAR\$4 rang\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/07 10:53
S39	30	((wildcard\$1 (wild near2 card\$1))) and (four near3 rang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:21
S40	30	((wildcard\$1 (wild near2 card\$1))) and (four near3 rang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/07 10:55
S41	18	(represent\$3 near3 (wildcard\$2 or wild-card\$4)) same determin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:52
S42	265	((data-base) (data adj base) or (database)) same wildcard\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:51
S43	114	(wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:52
S44	138	(represent\$3 near3 (wildcard\$2 or wild-card\$4)) and determin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:52
S45	114	(wildcard\$3 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:52

S46	36	((wildcard\$3 wild-card\$1 (wild near2 card\$1))) and (four near3 rang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 14:52
S47	36	((wildcard\$3 wild-card\$1 (wild near2 card\$1))) and (four near3 rang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 14:52
S48	19	(represent\$4 near3 (wildcard\$2 or wild-card\$4)) same determin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:23
S49	114	(wildcard\$4 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:52
S50	19	(represent\$3 near3 (wildcard\$2 or wild-card\$4)) same determin\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:52
S51	114	(wildcard\$3 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:52
S52	1817	(wildcard\$4 OR wild-card\$4) AND number\$2 AND data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:22
S53	114	(wildcard\$3 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:53
S54	432	((((data near4 compression\$2) same database) and memory) and range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 14:03
S55	143	(wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 14:03

S56	0	(((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 14:03
S57	143	(wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 14:03
S58	646	(((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2)) and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 14:03
S59	0	(((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2)) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:22
S60	3679271	wild NEAR3 card\$1 NEAR\$4 rang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 14:03
S61	0	(((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2)) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2)))) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:23

S62	0	(((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2)) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2))) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2))) and3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 14:03
S63	0	((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2)) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2))) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!)) SAME (ip! ADJ2 address\$2))) and3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/21 14:22